



**GEOHERMAL DEVELOPMENT  
COMPANY LIMITED**

**TENDER FOR SUPPLY, INSTALLATION &  
COMMISSIONING OF PUMPS AT  
BARINGO SILALI GEOTHERMAL  
PROJECT.**

**TENDER NO: GDC/INFRA/OT/022/2020-2021**

**CLOSING DATE AND TIME: 18<sup>th</sup>  
NOVEMBER 2020 at 2.00Pm**

**Geothermal Development  
Company Ltd  
P.O. Box 100746-00101  
NAIROBI  
Website: [www.gdc.co.ke](http://www.gdc.co.ke)**

*Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali  
Geothermal Project.*

## TABLE OF CONTENTS

		PAGE
SECTION I	INVITATION TO TENDER.....	3
SECTION II	INSTRUCTIONS TO TENDERERS.....	5
	<b>Appendix to Instructions to Tenderers .....</b>	<b>23</b>
SECTION III	GENERAL CONDITIONS OF CONTRACT.....	28
SECTION IV	SPECIAL CONDITIONS OF CONTRACT.....	36
SECTION V	TECHNICAL SPECIFICATIONS.....	42
SECTION VI	PRICE SCHEDULE .....	44
SECTION VII	STANDARD FORMS.....	46

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>2</sup> Geothermal Project.***

## SECTION I INVITATION TO TENDER

**TENDER REF NO: GDC/INFRA/OT/022/2020-2021**

**TENDER NAME: Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali Geothermal Project.**

1.1 The Geothermal Development Company Ltd invites sealed bids from eligible tenderers for Supply, Installation & Commissioning of Pumps at Baringo Silali Geothermal Project.

1.2 Interested eligible candidates may obtain further information and inspect the tender document from the office of Manager, Supply Chain at Kawi House Office, located at South C Bellevue, Off Mombasa Road, Red Cross Road between 9.00am and 4.00pm during weekdays. The document can also be viewed and downloaded from the website [www.gdc.co.ke](http://www.gdc.co.ke) or PPIP Portal: [www.tenders.go.ke](http://www.tenders.go.ke) **free of charge or at no cost.** Bidders who download the tender document from the website **MUST** forward their particulars immediately for records and any further tender clarifications and addenda to the email addresses provided at the appendix to instruction to bidders.

1.3 Tenders **MUST** be accompanied by an original **Tender Security in the amount of Kshs. 100,000** in the format provided in the tender document.

1.4 The completed tenders in plain sealed envelopes clearly marked with **Tender No. and Tender reference name;** shall be addressed to:

**THE MANAGING DIRECTOR,  
GEOTHERMAL DEVELOPMENT COMPANY LTD (GDC)  
P.O. BOX 100746 – 00101  
NAIROBI, KENYA**

and deposited in the tender box at GDC Kawi House Office Ground Floor, located at South C Bellevue ,Off Mombasa Road, Red Cross Road, not later than **18<sup>th</sup> November 2020 at 2.00pm (1400Hrs).**

1.5 Prices quoted should be inclusive of all taxes, Installation, Commissioning and transport charges to Pump Station 1 at Loruk, Baringo Silali ***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

Geothermal Project in Baringo County and must remain valid for 120 days from the closing date of the tender.

**1.6 There shall be a Mandatory site visit for all tenderers on 4<sup>th</sup> November, 2020 at Loruk in Baringo-Silali Geothermal project site at 9.00am.** Bidders are requested to assemble at GDC Kapkerwa Office (Baringo County) along Marigat – Loruk Road at 8.30am. Tenderers shall complete attendance register and issued with a certificate of site visit.

NB: All arrangements for travelling and accommodation shall be the responsibility of the Tenderer, Off road/4WD vehicles are recommended. Each tenderer shall complete the certificate of tenderers visit to the site and attendance register. The representative must have an appointed power of attorney for the tenderer. Site Visit certificate shall be issued to bidder's present.

1.7 Tenders will be opened immediately thereafter in the presence of the tenderers' representatives who choose to attend at GDC Kawi House Board Room.

**Manager, Supply chain**

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>4</sup> Geothermal Project.***

## SECTION II - INSTRUCTIONS TO TENDERERS

### Table of Clauses

	Page
2.1 Eligible tenderers.....	5
2.2 Eligible goods.....	5
2.3 Cost of tendering.....	6
2.4 Contents of Tender document.....	6
2.5 Clarification of documents.....	6
2.6 Amendment of documents.....	7
2.7 Language of tender.....	7
2.8 Documents comprising the tender.....	8
2.9 Tender forms.....	8
2.10 Tender prices.....	8
2.11 Tender currencies.....	9
2.12 Tenderers eligibility and qualifications.....	9
2.13 Goods' eligibility and conformity to tender documents.....	9
2.14 Tender security.....	10
2.15 Validity of tenders.....	11
2.16 Format and signing of tenders.....	12
2.17 Sealing and marking of tenders.....	12
2.18 Deadline for submission of tender .....	13
2.19 Modification and withdrawal of tenders.....	13
2.20 Opening of tenders.....	14
2.21 Clarification of tenders.....	14
2.22 Preliminary examination.....	15
2.23 Conversion to single currency.....	15
2.24 Evaluation and comparison of tenders.....	16
2.25 Contacting the GDC.....	16
2.26 Award of contract.....	16
(a) Post qualification.....	17
(b) Award criteria.....	17
(c) GDC's right to vary quantities....	17
(d) GDC's right to accept or reject any or all tenders .....	17
2.27 Notification of award.....	18

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>5</sup> Geothermal Project.***

2.28	Signing of contract.....	18
2.29	Performance security.....	18
2.30	Corrupt or fraudulent practices.....	18

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>6</sup> Geothermal Project.***

## **SECTION II - INSTRUCTIONS TO TENDERERS**

### **2.1 Eligible Tenderers**

2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.

2.1.2 The GDC's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.

2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the GDC to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.

2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

### **2.2 Eligible Goods**

2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.

2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components

2.2.3 The origin of goods is distinct from the nationality of the tenderer.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>7</sup> Geothermal Project.***

## 2.3 **Cost of Tendering**

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the GDC, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The price to be charged for the tender document shall not exceed Kshs.1,000/= or free of charge for bidders that download the tender document from either GDC website or IFMIS tenders portal

2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

## 2.4. **The Tender Document**

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers

- (i) Invitation to Tender
- (ii) Instructions to tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Performance Security Form
- (xi) Confidential Business Questionnaire
- (xii) Declaration of Undertaking
- (xiii) Power of Attorney
- (xiv) Manufacturer Authorization form

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>8</sup> Geothermal Project.***



responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

## **2.5 Clarification of Documents**

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the GDC in writing or by post at the entity's address indicated in the Invitation to Tender. The GDC will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the GDC. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The GDC shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

## **2.6 Amendment of Documents**

- 2.6.1 At any time prior to the deadline for submission of tenders, the GDC, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the GDC, at its discretion, may extend the deadline for the submission of tenders.

## **2.7 Language of Tender**

- 2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the GDC, shall be written in English language, provided that any printed literature *Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>9</sup> Geothermal Project.*

furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

## **2.8 Documents Comprising of Tender**

2.8.1 The tender prepared by the tenderers shall comprise the following components

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
- (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

## **2.9 Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

## **2.10 Tender Prices**

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and Installation to the premises of the entity in Pump Station 1 at Loruk, Baringo County.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>0</sup> Geothermal Project.***

2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.4 The validity period of the tender shall be 120 days from the date of opening of the tender.

## 2.11 **Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

## 2.12 **Tenderers Eligibility and Qualifications**

2.12.1 Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the GDC's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the GDC's satisfaction;

- (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>1</sup> Geothermal Project.***

maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

## **2.13 Goods Eligibility and Conformity to Tender Documents**

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the GDC; and
- (c) a clause-by-clause commentary on the GDC's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>2</sup> Geothermal Project.***

restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

## **2.14 Tender Security**

2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount and form specified in the Invitation to tender.

2.14.2 The tender security required for this tender is 2% of the total tender sum in the form of Bank/Insurance guarantee issued in Kenya.

2.14.3 The tender security is required to protect the GDC against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the GDC and valid for thirty (30) days beyond the validity of the tender.

2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the GDC as non responsive, pursuant to paragraph 2.22

2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the GDC.

2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

2.14.8 The tender security may be forfeited:

- (a) if a tenderer withdraws its tender during the period of tender validity specified by the GDC on the Tender Form; or
- (b) in the case of a successful tenderer, if the tenderer fails:
  - (i) to sign the contract in accordance with paragraph 2.27 or
  - (ii) to furnish performance security in accordance with paragraph 2.28

## 2.15 **Validity of Tenders**

2.15.1 Tenders shall remain valid for **120 days** or as specified in the Invitation to Tender after the date of tender opening prescribed by the GDC, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the GDC as non responsive.

2.15.2 In exceptional circumstances, the GDC may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

## 2.16 **Format and Signing of Tender**

2.16.1 The tenderer shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>4</sup> Geothermal Project.***

printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

## **2.17 Sealing and Marking of Tenders**

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the GDC at the address given in the Invitation to Tender:

**The Managing Director  
Geothermal Development Co. Ltd  
P. O Box 100746-00101.  
NAIROBI, KENYA**

(b) bear, tender number and name in the Invitation for Tenders and the words, “**DO NOT OPEN BEFORE, 2:00pm, 18<sup>th</sup> November, 2020**”

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the GDC will assume no responsibility for the tender’s misplacement or premature opening.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>5</sup> Geothermal Project.***

## **2.18 Deadline for Submission of Tenders**

2.18.1 Tenders must be received by the GDC at the address specified under paragraph 2.17.2 no later than **18<sup>th</sup> November 2020 at 2:00pm**.

2.18.2 The GDC may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the GDC and candidates previously subject to the deadline will therefore be subject to the deadline as extended.

## **2.19 Modification and Withdrawal of Tenders**

2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the GDC prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The GDC may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The GDC shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>6</sup> Geothermal Project.***



## **2.20 Opening of Tenders**

2.20.1 The GDC will open all tenders in the presence of tenderers' representatives who choose to attend, on **18<sup>th</sup> November, 2020 at 2:00 p.m.** and in the location specified in the Invitation to Tender. The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the GDC, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The GDC will prepare minutes of the tender opening.

## **2.21 Clarification of Tenders**

2.21.1 To assist in the examination, evaluation and comparison of tenders the GDC may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the GDC in the GDC's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

## **2.22 Preliminary Examination**

2.22.1 The GDC will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and ***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>7</sup> Geothermal Project.***

the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The GDC may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the GDC will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The GDC's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the GDC and may not subsequently be made responsive by the tenderer by correction of the non conformity.

## **2.23 Conversion to Single Currency**

2.23.1 Where other currencies are used, the GDC will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

## **2.24 Evaluation and Comparison of Tenders**

2.24.1 The GDC will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>8</sup> Geothermal Project.***

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

## **2.25 Preference**

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

## **2.26 Contacting the GDC**

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the GDC on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the GDC in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

## **2.27 Award of Contract**

### **(a) Post-qualification**

2.27.1 In the absence of pre-qualification, the GDC will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the GDC deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>9</sup> Geothermal Project.***

of the Tenderer's tender, in which event the GDC will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

**(b) Award Criteria**

2.27.4 The GDC will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

**(c) GDC's Right to Vary quantities**

2.27.5 The GDC reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

**(d) GDC's Right to Accept or Reject Any or All Tenders**

2.27.6 The GDC reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the GDC's action

**2.28 Notification of Award**

2.28.1 Prior to the expiration of the period of tender validity, the GDC will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the GDC will promptly notify each

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>0</sup> Geothermal Project.***

unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

## **2.29 Signing of Contract**

2.29.1 At the same time as the GDC notifies the successful tenderer that its tender has been accepted, the GDC will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the GDC.

## **2.30 Performance Security**

2.30.1 Within Thirty (30) days of the receipt of notification of award from the GDC, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the GDC.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the GDC may make the award to the next lowest evaluated Candidate or call for new tenders.

## **2.31 Corrupt or Fraudulent Practices**

2.31.1 The GDC requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>1</sup> Geothermal Project.***

- (i) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
- (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the GDC, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the GDC of the benefits of free and open competition;

2.31.2 The GDC will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>2</sup> Geothermal Project.***

## Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

<b>INSTRUCTIONS TO TENDERERS REFERENCE</b>	<b>PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS</b>
2.1.1	The tender is eligible to all tenderers with technical & financial capability to <b>Supply, Install &amp; Commission Pumps.</b>
2.3.2	A complete set of the tender document may be obtained by interested firms upon payment of a non-refundable fee of <b>Kshs.1000</b> each payable to our accounts office in cash or by banker's cheque. The document can also be viewed and downloaded from the website <a href="http://www.gdc.co.ke">www.gdc.co.ke</a> or PPIP Portal: <a href="http://www.tenders.go.ke">www.tenders.go.ke</a> free <b>of charge or at no cost.</b> Bidders who download the tender document from the website <b>MUST</b> forward their particulars immediately for records and any further tender clarifications and addenda to <a href="mailto:procurement@gdc.co.ke">procurement@gdc.co.ke</a>
2.5.1	A prospective tenderer requiring any clarification of the tender document may notify GDC in writing (email in PDF format or by facsimile) at the following address: One copy to: - Manager, Supply Chain Geothermal Development Company Limited, Kawi House, South C Bellevue ,Off Mombasa Road, Red Cross Road P.O. Box 100746 – 00101 NAIROBI, KENYA E-mail: <a href="mailto:dkyaka@gdc.co.ke">dkyaka@gdc.co.ke</a> Copy to: <a href="mailto:Procurement@gdc.co.ke">Procurement@gdc.co.ke</a>

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

	<p>And one copy to: -  Manager, Infrastructure Development  Geothermal Development Company Limited,  Kawi House, South C Bellevue ,Off Mombasa Road, Red  Cross Road  P.O. Box 100746 – 00101  NAIROBI, KENYA  E-mail: <a href="mailto:jmberia@gdc.co.ke">jmberia@gdc.co.ke</a></p> <p>NB: Any request for clarification must be in the firm’s letterhead, signed and must be in reference to the specific parts of the tender document properly numbered.</p>
2.5.4	GDC will respond in writing (e-mail in PDF format) to any request for clarification received at least Seven (7) days prior to the deadline for the submission of tenders.
2.10.2	The prices should include all taxes, supply, Installation, commissioning charges to <b>GDC Pump Station 1 at Loruk, Baringo Silali Geothermal Project in Baringo County.</b>
2.11.1	Prices quoted shall be in Kenya Shillings or an easily convertible foreign currency.
2.14.1	The tenderer shall furnish, as part of its tender, a tender security in the amount of <b>Kshs. 100,000 issued by a reputable Bank/Insurance guarantee operating in Kenya and valid for 150 days from the date of tender opening.</b>
2.15.1	The tender validity period is <b>120 days</b> from the date of tender opening. A tender valid for a shorter period shall be considered as non-responsive and shall be rejected.
2.16.1	Tenderers should submit <b>an Original and One (1) copy</b> of the tender. All pages (Original and Copy) of the tender documents <b><u>MUST be serialized &amp; initialized</u></b> by the tenderer including the attachments to the bid document & well bound.
2.18.1	The tender Closing date is on; <b>18<sup>th</sup> November, 2020 at 2.00pm (1400hrs)</b>
2.23.1	Where other currencies are used, GDC will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>4</sup> Geothermal Project.***



2.24	<p><b><u>Tender Evaluation Criteria</u></b></p> <p>i. Mandatory Evaluation Criteria- At the preliminary evaluation stage, the following mandatory requirements that determines a bidder's responsiveness will be assessed;</p> <table border="1" data-bbox="548 331 1542 1682"> <thead> <tr> <th data-bbox="548 331 667 478">No.</th> <th data-bbox="667 331 1338 478">Requirement</th> <th colspan="2" data-bbox="1338 331 1542 478">Bidders Response (Yes/No)</th> </tr> </thead> <tbody> <tr> <td data-bbox="548 478 667 569">1.</td> <td data-bbox="667 478 1338 569">Dully filled, Signed &amp; Stamped Tender Form</td> <td data-bbox="1338 478 1422 569"></td> <td data-bbox="1422 478 1542 569"></td> </tr> <tr> <td data-bbox="548 569 667 659">2.</td> <td data-bbox="667 569 1338 659">Dully filled, Signed &amp; Stamped Price Schedule.</td> <td data-bbox="1338 569 1422 659"></td> <td data-bbox="1422 569 1542 659"></td> </tr> <tr> <td data-bbox="548 659 667 869">3.</td> <td data-bbox="667 659 1338 869">An Original tender security in the amount of Kshs. 100,000 in the form of a bank guarantee valid for at least thirty (30) days beyond the tender validity period i.e. 150 days from the date of tender opening.</td> <td data-bbox="1338 659 1422 869"></td> <td data-bbox="1422 659 1542 869"></td> </tr> <tr> <td data-bbox="548 869 667 1037">4.</td> <td data-bbox="667 869 1338 1037">Certified copy of evidence of incorporation in Kenya by an advocate i.e. Certificate of Incorporation/ Registration in Kenya</td> <td data-bbox="1338 869 1422 1037"></td> <td data-bbox="1422 869 1542 1037"></td> </tr> <tr> <td data-bbox="548 1037 667 1247">5.</td> <td data-bbox="667 1037 1338 1247">Certified copy of tax compliance certificate issued by an advocate and valid at the time of opening. The validity of the Tax certificate shall be confirmed from KRA Tax Checker.</td> <td data-bbox="1338 1037 1422 1247"></td> <td data-bbox="1422 1037 1542 1247"></td> </tr> <tr> <td data-bbox="548 1247 667 1373">6.</td> <td data-bbox="667 1247 1338 1373">Certified copy of Certificate of Confirmation of Directors and Shareholding (CR12)</td> <td data-bbox="1338 1247 1422 1373"></td> <td data-bbox="1422 1247 1542 1373"></td> </tr> <tr> <td data-bbox="548 1373 667 1463">7.</td> <td data-bbox="667 1373 1338 1463">Certified copy of Valid Business Permit by an advocate</td> <td data-bbox="1338 1373 1422 1463"></td> <td data-bbox="1422 1373 1542 1463"></td> </tr> <tr> <td data-bbox="548 1463 667 1554">8.</td> <td data-bbox="667 1463 1338 1554">Provide a Power of Attorney witnessed by an advocate</td> <td data-bbox="1338 1463 1422 1554"></td> <td data-bbox="1422 1463 1542 1554"></td> </tr> <tr> <td data-bbox="548 1554 667 1682">9.</td> <td data-bbox="667 1554 1338 1682">Provide a copy of manufacturers' warranty and duly signed authorization in the format provided showing that the tenderer</td> <td data-bbox="1338 1554 1422 1682"></td> <td data-bbox="1422 1554 1542 1682"></td> </tr> </tbody> </table>			No.	Requirement	Bidders Response (Yes/No)		1.	Dully filled, Signed & Stamped Tender Form			2.	Dully filled, Signed & Stamped Price Schedule.			3.	An Original tender security in the amount of Kshs. 100,000 in the form of a bank guarantee valid for at least thirty (30) days beyond the tender validity period i.e. 150 days from the date of tender opening.			4.	Certified copy of evidence of incorporation in Kenya by an advocate i.e. Certificate of Incorporation/ Registration in Kenya			5.	Certified copy of tax compliance certificate issued by an advocate and valid at the time of opening. The validity of the Tax certificate shall be confirmed from KRA Tax Checker.			6.	Certified copy of Certificate of Confirmation of Directors and Shareholding (CR12)			7.	Certified copy of Valid Business Permit by an advocate			8.	Provide a Power of Attorney witnessed by an advocate			9.	Provide a copy of manufacturers' warranty and duly signed authorization in the format provided showing that the tenderer		
No.	Requirement	Bidders Response (Yes/No)																																									
1.	Dully filled, Signed & Stamped Tender Form																																										
2.	Dully filled, Signed & Stamped Price Schedule.																																										
3.	An Original tender security in the amount of Kshs. 100,000 in the form of a bank guarantee valid for at least thirty (30) days beyond the tender validity period i.e. 150 days from the date of tender opening.																																										
4.	Certified copy of evidence of incorporation in Kenya by an advocate i.e. Certificate of Incorporation/ Registration in Kenya																																										
5.	Certified copy of tax compliance certificate issued by an advocate and valid at the time of opening. The validity of the Tax certificate shall be confirmed from KRA Tax Checker.																																										
6.	Certified copy of Certificate of Confirmation of Directors and Shareholding (CR12)																																										
7.	Certified copy of Valid Business Permit by an advocate																																										
8.	Provide a Power of Attorney witnessed by an advocate																																										
9.	Provide a copy of manufacturers' warranty and duly signed authorization in the format provided showing that the tenderer																																										

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>5</sup> Geothermal Project.***

		is authorized to supply & erect/install the product/item.		
	10.	Provide Audited Accounts for the last three (3) years i.e. 2017/2018/2019 signed and stamped by the Auditor and Certified by an advocate with an annual turnover of at least Kshs. 100million for the last three (3) years. Tenderers to also provide physical address and contact details (emails & telephone number) of the Auditor in their company letterhead duly signed and stamped.		
	11.	Dully Filled signed & stamped Confidential Business Questionnaire in the format provided.		
	12.	Dully Filled signed & stamped Declaration of Undertaking in the format provided.		
	13.	Attach a copy of mandatory Site Visit Certificate		
<p><b>NB:</b> Tenderers who will not meet the above requirements will be declared non-responsive and their bids will not be evaluated further. Please note that the authenticity of the above documents provided may be verified with the issuing/relevant authority and any forgery or false presentation in any one of the above shall lead to automatic disqualification and render the tenderers bid non-responsive. Note that you may be required to produce original Certificates for ease of verification.</p> <p>GDC reserves the right to carryout independent investigations to verify the accuracy of information provided without notifying the tenderer.</p> <p>b)Technical Evaluation Criteria- This will be based on compliance to the following criteria by tenderers.</p>				

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>6</sup> Geothermal Project.***

No.	Requirement	Bidders Response (Yes/No)
1.	Detailed brochures/ catalogues	Bidders are required to comply with Section V – Technical Specification Requirements. Tenderers to attach detailed brochures/catalogues/designs in English language depicting compliance to specifications for all the items quoted for in the schedule. Translated literature in English shall be provided in literatures in different languages.
2.	Bidders Response Column	Duly filled bidder's response column - Bidders response column to be filled with either Yes (Y) or No (N) to depict compliance or non-compliance to specification.
3.	List of Clients	Provide reference of clients for similar services/assignment been undertaken in by the firm detailing the nature of the assignment, the value of the contract, contact person including contact addresses.
4	Similar Experience	Bidders <b>Must</b> Provide evidence of similar project. Provide certified copy of contracts or local purchase orders (LPO's).

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali Geothermal Project.***

	5.	Qualifications and Competency of key experts in reference to the supply & Installation Works	Bidders <b>Must</b> attach Curriculum Vitae (CV's) of the below key experts certified by an advocate:  a) Project Team Leader b) Mechanical Engineer c) Electrical Engineer d) Civil Engineer
	6	Functional Guarantee	Tenderers to provide a written undertaking in company's letterhead duly signed and stamped detailing that the pumps they will supply & install are new & unused and that the equipment warranty of Minimum 12 months
	7.	Methodology & technical capability	Bidders to submit/provide that they have the necessary capacity to Supply, install & commission the pumps by;  i. Providing detailed methodology depicting process of installation to commissioning of the pump
	8.	Delivery Schedule	Supply and installation to be completed within three (3) months from date of contract signing. The tenderers <b>must</b> attach a schedule of activities detailing the entire period of supply and installation and Commissioning. Tenderers must specify their delivery schedule in the price schedule in Section VI of the tender document.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>8</sup> Geothermal Project.***

	<p>c)Financial Evaluation Criteria- This will be based on compliance to the following criteria by tenderers.</p> <ol style="list-style-type: none"> <li>i. The lowest evaluated tender inclusive of taxes, installation &amp; commissioning cost delivered at Loruk, Baringo Silali Geothermal Project in Baringo County shall be recommended for award.</li> <li>ii. No correction of arithmetic errors -_The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.</li> <li>iii. Compliance to GDC payments terms as per section IV of the tender document. Provide a written declaration in company’s letterhead duly signed and stamped conforming to GDC payment terms.</li> </ol>
2.27.1	The lowest evaluated tender inclusive of taxes, installation & commissioning cost at Baringo Silali Geothermal Project in Baringo County shall be recommended for award.
2.28.1	The unsuccessful tenderers will be notified on the outcome of the tender at the same time the successful tenderer is notified.
2.30.1	The performance security shall be 10% of the grand total contract price in the form of a bank guarantee issued by a Bank operating in Kenya. The performance security shall be valid for the entire contract period and additional thirty (30) more days after completion of supply & installation.
SITE VISIT	<p>There shall be a <b>mandatory</b> site visit for all tenderers on <b>4<sup>th</sup> November, 2020</b> at Baringo-Silali Geothermal project site at <b>9.00am</b>. <b>Bidders are requested to assemble at GDC Kapkerwa Office (Baringo County) along Marigat – Loruk Road at 8.30am</b>. <b>Tenderers shall complete attendance register and issued with a certificate of site visit.</b></p> <p>Each tenderer shall complete the <b>certificate of tenderers visit to the site and attendance register</b>. <b>The representative must have an appointed power of attorney for the tenderer.</b></p>

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>9</sup> Geothermal Project.***

### SECTION III: GENERAL CONDITIONS OF CONTRACT

#### Table of Clauses

	Page
3.1 Definitions.....	24
3.2 Application.....	24
3.3 Country of Origin.....	24
3.4 Standards.....	25
3.5 Use of Contract documents and information.....	25
3.6 Patent Rights.....	25
3.7 Performance security.....	25
3.8 Inspection and Tests.....	26
3.9 Packing.....	27
3.10 Installation and documents.....	27
3.11 Insurance .....	27
3.12 Payment.....	27
3.13 Price.....	27
3.14 Assignments.....	28
3.15 Sub contracts.....	28
3.16 Termination for default.....	28
3.17 Liquidated damages.....	29
3.18 Resolution of Disputes.....	29
3.19 Language and law.....	29
3.20 Force Majeure.....	29

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>0</sup> Geothermal Project.***

## **SECTION III - GENERAL CONDITIONS OF CONTRACT**

### **3.1 Definitions**

3.1.1 In this Contract, the following terms shall be interpreted as indicated: -

- (a) “The Contract” means the agreement entered into between the GDC and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the GDC under the Contract.
- (d) “The GDC” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

### **3.2 Application**

3.2.1 These General Conditions shall apply in all Contracts made by the GDC for the procurement installation and commissioning of equipment

### **3.3 Country of Origin**

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>1</sup> Geothermal Project.***

### **3.4 Standards**

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

### **3.5 Use of Contract Documents and Information**

3.5.1 The tenderer shall not, without the GDC's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the GDC in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the GDC's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the GDC and shall be returned (all copies) to the GDC on completion of the Tenderer's performance under the Contract if so required by the GDC

### **3.6 Patent Rights**

3.6.1 The tenderer shall indemnify the GDC against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the GDC's country

### **3.7 Performance Security**

3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the GDC the performance security in the amount specified in Special Conditions of Contract.

3.7.2 The proceeds of the performance security shall be payable to the GDC as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>2</sup> Geothermal Project.***



3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the GDC and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the GDC, in the form provided in the tender documents.

3.7.4 The performance security will be discharged by the GDC and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

### **3.8 Inspection and Tests**

3.8.1 The GDC or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The GDC shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of Installation, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the GDC.

3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the GDC may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the GDC.

3.8.4 The GDC's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the GDC or its representative prior to the equipment Installation.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

### **3.9 Packing**

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

### **3.10 Installation and Documents**

3.10.1 Installation of the Goods shall be made by the tenderer in accordance with the terms specified by GDC in its Schedule of Requirements and the Special Conditions of Contract

### **3.11 Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and Installation in the manner specified in the Special conditions of contract.

### **3.12 Payment**

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the GDC as specified in the contract

### **3.13 Prices**

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>4</sup> Geothermal Project.***

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.4 Price variation request shall be processed by the GDC within 30 days of receiving the request.

### **3.14. Assignment**

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the GDC's prior written consent

### **3.15 Subcontracts**

3.15.1 The tenderer shall notify the GDC in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

### **3.16 Termination for default**

3.16.1 The GDC may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the GDC
- (b) if the tenderer fails to perform any other obligation(s) under the Contract

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>5</sup> Geothermal Project.***

- (c) if the tenderer, in the judgment of the GDC has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the GDC terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the GDC for any excess costs for such similar goods.

### **3.17 Liquidated Damages**

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the GDC shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

### **3.18 Resolution of Disputes**

3.18.1 The GDC and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

### **3.19 Language and Law**

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>6</sup> Geothermal Project.***

### **3.20 Force Majeure**

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

*Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>7</sup> Geothermal Project.*

## SECTION IV - SPECIAL CONDITIONS OF CONTRACT

4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over those in the GCC.

42. Special conditions of contract as relates to the GCC

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.1 <i>Definitions</i>	The Purchaser is The Managing Director, Geothermal Development Company Ltd (GDC), KAWI HOUSE, SOUTH C Tel: 0719715777/8, 0733602260, P.O Box 100746 – 00101, NAIROBI, KENYA, and includes its legal representatives, successors or assigns.
3.2 <i>Applications</i>	The Special Conditions of Contract <i>hereinafter abbreviated as SCC</i> shall form part of the Conditions of Contract. They are made in accordance with the law and the GDC’s guidelines, practices, procedures and working circumstances. They shall amend, add to and vary the General Conditions of Contract. Whenever there is a conflict between the GCC and SCC, the provisions of the SCC shall prevail over those in the GCC
3.4 <i>Standards</i>	The Pumps & other items supplied under this tender shall be of high standard and original. The items quoted for shall be of defects free. Items that do not meet and comply to GDC specifications shall be rejected.
3.7.1 <i>Performance Security</i>	The Performance Security shall be in the amount of <b>10% of the Contract Price in the form of a bank guarantee issued by a Bank operating in Kenya.</b> The performance Security shall be valid for a minimum of <b>30</b> days after completion of supply, installation & and lapse of contract period.
3.10.1 Installation	The Point of Supply & Installation for the Pumps is GDC Pump Station 1 at Loruk, Baringo Silali Geothermal

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>8</sup> Geothermal Project.***

	Project in Baringo County.
3.12.1 Payment Terms & Conditions	<p>1) Geothermal Development Company's payment terms are within sixty (60) days upon receipt of certified invoices confirming that the invoiced goods/items have been supplied and installed and is in accordance with the contract by the supplier.</p> <p>2) Advance Payment is not applicable.</p> <p>3) Payment shall be made through Geothermal Development Company's cheque or telegraphic transfer of the contract.</p> <p>4) No interest on delayed payments</p>
3.13 Prices	<p>Prices charged by the tenderer for the tender under the Contract shall remain fixed from the date the contract is signed. No variations will be payable on grounds of exchange rate fluctuations.</p> <p><b><u>No correction of errors.</u></b></p> <p>The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.</p>
3.16 Termination	<p><b>Termination for Default</b></p> <p>GDC may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Service Provider, terminate this Contract in whole or in part:</p> <ol style="list-style-type: none"> <li>a) If the Service Provider fails to deliver the Goods and Services within the period(s) specified in the Contract, or within any extension thereof granted by the GDC;</li> <li>b) If the Goods and Services delivered by the Service Provider do not conform to the Standards specified in the Contract;</li> <li>c) If the Service Provider fails to perform any other obligation(s) under the Contract;</li> <li>d) If the Service Provider, in the judgment of the GDC has engaged in corrupt or</li> </ol>

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silafi<sup>9</sup> Geothermal Project.***

fraudulent practices in competing for or in executing the Contract;

- e) If the Service Provider becomes insolvent or bankrupt; GDC may at any time terminate this Agreement by giving written notice to the Service Provider if the Service Provider becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Service Provider, provided that such termination will not produce or affect any right of action or remedy which has accrued or will accrue thereafter to GDC;

In the event that the GDC terminates the Contract in whole or in part, it may procure, upon such terms and in such manner, as it deems appropriate, Goods and Services similar to those undelivered, and the Service Provider shall be liable to the GDC for any excess costs incurred.

### **3.21 Termination by Notice**

Either party, at its sole discretion, may at any time by written notice terminate the Contract by giving no less than Thirty (30) days' notice in writing.

### **3.22 Termination for Convenience**

The GDC by written notice sent to the Tenderer may terminate the contract in whole or in part, at any time for its convenience. The notice of termination shall specify that the termination is for the GDC's convenience, the extent to which performance of the Tenderer of the contract is terminated and the date on which such termination becomes effective.

For the remaining part of the contract after termination the GDC may elect to cancel the supply and pay to the Tenderer the amount for partially

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>0</sup> Geothermal Project.***



	<p>delivered goods.</p> <p><b>21.4 Termination by Mutual Consent</b> By mutual written agreement, the Purchaser and the Tenderer may agree to terminate the contract. The agreement shall provide that the termination is by mutual agreement, the extent to which the contract is terminated and the effects of such termination on each party's obligations.</p> <p><b>21.5 Termination by Insolvency</b> If the Tenderer becomes insolvent or bankrupt; the Purchaser may at any time terminate this Agreement by giving written notice to the Tenderer. In this event, termination will be without compensation to the Service provider, provided that such termination will not produce or affect any right of action or remedy which has accrued or will accrue thereafter to the Purchaser. On termination of this Agreement, howsoever terminated, the Contractor shall be permitted to remove all its equipment which may have been placed by the Contractor upon the employer's premises.</p>
<p><b>3.23 Liquidated Damages</b></p>	<p>If the contractor fails to provide any or all of the items within the period(s) specified in the contract, GDC shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the price of the undelivered items, per day until actual Installation of complete items, up to a maximum deduction of 10% of the undelivered items. After this GDC may consider termination of the contract.</p>
<p><b>3.14 Resolution of Disputes</b></p>	<p>If any dispute or difference of any kind arises between the Parties in connection with this Agreement or the breach, termination or validity hereof (a "Dispute") it shall be referred to arbitration under the Arbitration Act, 1995 and it is hereby agreed that;</p> <p>(a) The seat of the arbitration shall be Nairobi,</p>

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>1</sup> Geothermal Project.***

	<p>Kenya;</p> <p>(b) There shall be a panel of three (3) arbitrators. Each Party shall appoint one arbitrator and the third who shall be the chairman who shall be appointed by the Institute of Chartered Arbitrators Kenya Chapter. Provided that any person who has existing or prior relationship with either Party shall not be eligible for appointment as an arbitrator except with the consent of both Parties.</p> <p>(c)The language of the arbitration shall be English;</p> <p>(d)The award rendered shall apportion the costs of the arbitration;</p> <p>(e)The award shall be in writing and shall set forth in reasonable detail the facts of the Dispute and the reasons for the tribunal’s decision</p>
<b>Law’s of Kenya</b>	The contract shall be interpreted in accordance with the laws of Kenya.
<b>Notices:</b>	<p>Each party's address for the items of notice shall be the below mentioned address or such other address as it specifies by notice to the other;</p> <p>For the Procuring Entity:-</p> <p style="text-align: center;">The Managing Director &amp; CEO,  Geothermal Development Company Ltd (GDC)  Kawi House, South C Bellevue Off Mombasa Road, Tel: 0719037000, 0719036000  P.O. Box 100746 – 00101  Nairobi, Kenya</p> <p>Any notice given under the Agreement shall be in writing and may be served:</p> <ol style="list-style-type: none"> <li>i. personally;</li> <li>ii. by registered or recorded Installation mail;</li> <li>iii. by e-mail, telex or facsimile transmission (the latter confirmed by telex or post); or</li> </ol>

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>2</sup> Geothermal Project.***

	<p>iv. by any other means which any party specifies by notice to the others.</p> <p>Notice shall be deemed to have been served:</p> <ul style="list-style-type: none"><li>i. if it was served in person, at the time of service;</li><li>ii. if it was served by post, 72 hours after it was posted; and</li><li>iii. If it was served by e-mail, telex or facsimile transmission, at the time of transmission.</li></ul>
--	---

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

## SECTION V - TECHNICAL SPECIFICATIONS

### Supply & Installation of Surface Pumps directly coupled with the Motor

<b>Pump</b>		<b>Bidders Response Column (Y/N)</b>
-Flow rate( m <sup>3</sup> /h)	500	
-Head (m)	40	
-Suction ( m)	7	
-Liquid handled	Water	
-Liquid temperature	5-45 deg.C	
Max solid handled	0.5mm	
Multistage / Single stage	Multistage (2 stages)	
-Suction flange diameter	250mm	
-Discharge flange diameter	250mm	
Foot valve	8 inch	
Air valve	3/8 inch	
<b>Motor</b>		
-Rated power (kw)	90kW	
-Rated voltage (v)	380V	
-Speed (rpm)	1480rpm	
-Phase	3	
-Frequency (Hz)	50	
-No. of poles	4	
-Protection	IP55	
-Starting method	Soft starter	
Control panel	Included	
Power supply cable	100m	

The tenderer should quote for all material required for installation, testing and commission of the pump including and appropriate concrete plinth, electrical connection and pipe connection to the existing system.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silat<sup>#4</sup> Geothermal Project.***

**SECTION VI – PRICE SCHEDULE FOR SUPPLY, INSTALLATION & COMMISSIONING OF PUMPS AT BARINGO SILALI GEOTHERMAL PROJECT.**

Description	Unit	Qty	Unit Price	Total Price
1 Supply, installation & commissioning of Pumps at Baringo Silali Geothermal Project (as per required specifications)	PCS	2		
<b>14% VAT</b>				
<b>Total Price inclusive of 14% VAT, installation &amp; commissioning cost at Baringo Silali geothermal project transferred to form of tender</b>				
<b>Supply &amp; Installation Period (Tenderers to specify their Supply &amp; Installation period)</b>				

Tenderer's Name \_\_\_\_\_

Authorized Signature, \_\_\_\_\_

Date and Official Stamp \_\_\_\_\_

**No correction of errors -** The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendments in any way by any person or entity.

*Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali Geothermal Project.*

## SECTION VII - STANDARD FORMS

### Notes on the sample Forms

1. Notes on the sample Forms

**1. Form of Tender** - The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.

**2. Mandatory Confidential Business Questionnaire** - Bidder MUST Fill, Sign & Stamp the questionnaire

**3. Declaration of undertaking** not to engage in Corrupt Fraudulent Practice – Bidders MUST sign, Fill & Stamp the declaration form not to engage in corrupt practices

**4. Performance Security-** The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.

**5. Tender Security** - When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.

**6. Manufacturer Authorization** – Tenderers must submit dully filled manufacturer authorization form.

**7. Contract Form** - The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.

**8. Power of Attorney** – Provide the name, title and designation of the person nominated to sign and transact business with GDC on behalf of your company. The power of attorney should be witnessed by an advocate

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali Geothermal Project.***

**7.1 FORM OF TENDER**

Date \_\_\_\_\_  
Tender No. \_\_\_\_\_

To: \_\_\_\_\_  
*[name and address of GDC]*

Gentlemen and/or Ladies:

Having examined the tender documents including Addenda Nos. .... *[insert numbers]*.the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply and deliver Pump in conformity with the said tender documents for the sum of .....  
*(total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.

We undertake, if our Tender is accepted, to supply and deliver the Pump in accordance with the Installation schedule specified in the Schedule of Requirements.

If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to \_\_\_\_\_ percent of the Contract Price for the due performance of the Contract , in the form prescribed by .....( *GDC*).

We agree to abide by this Tender for a period of ..... *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.

We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

\_\_\_\_\_  
[signature] [in the capacity of]  
Duly authorized to sign tender for an on behalf of \_\_\_\_\_

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silat<sup>7</sup> Geothermal Project.***

**7.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM**

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business. You are advised that it is a serious offence to give false information on this form

*Part 1 – General:*

Business Name  
 .....  
 Location of business premises.  
 .....  
 Plot No..... Street/Road  
 .....  
 Postal Address ..... Tel No. .... Fax ..... E mail  
 .....  
 Nature of Business  
 .....  
 Registration Certificate No.  
 .....  
 Maximum value of business which you can handle at any one time – Kshs.  
 .....  
 Name of your bankers ..... Branch  
 .....

	<p><b>Part 2 (a) – Sole Proprietor</b></p> <p>Your name in full ..... Age                  .....                  Nationality ..... Country of origin                  .....                  • Citizenship details                  .....                  .....</p>																
	<p><b>Part 2 (b) Partnership</b></p> <p>Given details of partners as follows:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%;">Name</th> <th style="width: 30%;">Nationality</th> <th style="width: 20%;">Citizenship Details</th> </tr> </thead> <tbody> <tr> <td>Shares</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>2.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>		Name	Nationality	Citizenship Details	Shares				1.	.....	.....	.....	2.	.....	.....	.....
	Name	Nationality	Citizenship Details														
Shares																	
1.	.....	.....	.....														
2.	.....	.....	.....														

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>8</sup> Geothermal Project.***



	3. .... ..... 4. .... .....																												
	<b>Part 2 (c) – Registered Company</b>																												
	Private or Public ..... State the nominal and issued capital of company- Nominal Kshs. .... Issued Kshs. .... Given details of all directors as follows																												
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%; text-align: center;">Name</th> <th style="width: 20%; text-align: center;">Nationality</th> <th style="width: 30%; text-align: center;">Citizenship Details</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Shares</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">1.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td style="text-align: center;">2.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td style="text-align: center;">3.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td style="text-align: center;">4.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td style="text-align: center;">5</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>		Name	Nationality	Citizenship Details	Shares				1.	.....	.....	.....	2.	.....	.....	.....	3.	.....	.....	.....	4.	.....	.....	.....	5	.....	.....	.....
	Name	Nationality	Citizenship Details																										
Shares																													
1.	.....	.....	.....																										
2.	.....	.....	.....																										
3.	.....	.....	.....																										
4.	.....	.....	.....																										
5	.....	.....	.....																										
	Date ..... Signature of Candidate & Stamped .....																												

- If a Kenya Citizen, indicate under “Citizenship Details” whether by Birth, Naturalization or registration.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>9</sup> Geothermal Project.***

### 7.3 DECLARATION OF UNDERTAKING

We underscore the importance of a free, fair and competitive procurement process that precludes abusive practices. In this respect we have neither offered nor granted directly or indirectly any inadmissible advantages to any public servant or other person nor accepted such advantages in connection with our bid, nor will we offer or grant or accept any such incentives or conditions in the present procurement process or, in the event that we are awarded the contract, in the subsequent execution of the contract. We also declare that no conflict of interest exists in the meaning of the kind described in the Public Procurement & Disposal Act 2015

We also underscore the importance of adhering to the law in the implementation of the project.

We will inform our staff about their respective obligations and about their obligation to fulfil this declaration of undertaking and to obey the laws of the country.

We also declare that our company/sub-contractors/ all members of the consortium has/have not been debarred to engage in procurement/ included in the list of sanctions.

We acknowledge that, the client is entitled to terminate the contract immediately if the statements made in the Declaration of Undertaking were objectively false or the reason for exclusion occurs after the Declaration of Undertaking has been issued.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

(Name of company)

(Signature(s))

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>0</sup> Geothermal Project.***

**7.4 PERFORMANCE SECURITY FORM**

To .....  
[name of GDC]

WHEREAS ..... [name of tenderer] (hereinafter called “the tenderer”) has undertaken , in pursuance of Contract No. \_\_\_\_\_ [reference number of the contract] dated \_\_\_\_\_ 20 \_\_\_\_\_ to \_\_\_\_\_ supply ..... [description of goods] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of ..... [amount of the guarantee in words and figure] and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or sums within the limits of ..... [amount of guarantee] as aforesaid, without you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

Signed and seal of the Guarantors

\_\_\_\_\_  
[name of bank or financial institution]

\_\_\_\_\_  
[address]

\_\_\_\_\_  
[date]

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>1</sup> Geothermal Project.***

## 7.5 TENDER SECURITY FORM

Whereas ..... [name of the tenderer]  
(hereinafter called "the tenderer") has submitted its tender dated ..... [date of  
submission of tender] for the supply and Installation of ..... [ ]  
(hereinafter called "the Tender") ..... KNOW ALL  
PEOPLE by these presents that WE ..... of  
..... having our registered office at .....  
(hereinafter called "the Bank"), are bound unto ..... [name of Procuring entity]  
(hereinafter called "the Procuring entity") in the sum of ..... for  
which payment well and truly to be made to the said Procuring entity, the Bank binds itself,  
its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank  
this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_.

THE CONDITIONS of this obligation are:-

1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:
  - (a) fails or refuses to execute the Contract Form, if required; or
  - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

\_\_\_\_\_  
[signature of the bank]

(Amend accordingly if provided by Insurance Company)

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Sila<sup>2</sup> Geothermal Project.***

## 7.6 MANUFACTURER'S AUTHORIZATION FORM

To [name of the Procuring entity] .....

WHEREAS .....[ name of the manufacturer] who are established and reputable manufacturers of ..... [name and/or description of the goods] having factories at ..... [address of factory] do hereby authorize ..... [name and address of Agent] to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. .... [reference of the Tender] for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

---

[signature for and on behalf of manufacturer]

*Note:* This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>3</sup> Geothermal Project.***

## 7.7 CONTRACT FORM

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ between ..... [name of Procurement entity] of ..... [country of Procurement entity] (hereinafter called “the Procuring entity) of the one part and ..... [name of tenderer] of ..... [city and country of tenderer] (hereinafter called “the tenderer”) of the other part;

WHEREAS the Procuring entity invited tenders for certain goods ] and has accepted a tender by the tenderer for the supply of those goods in the sum of ..... [contract price in words and figures] (hereinafter called “the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
  - (a) the Tender Form and the Price Schedule submitted by the tenderer
  - (b) the Schedule of Requirements
  - (c) the Technical Specifications
  - (d) the General Conditions of Contract
  - (e) the Special Conditions of contract; and
  - (f) the Procuring entity’s Notification of Award
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Procuring entity

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the tenderer in the presence of \_\_\_\_\_

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>4</sup> Geothermal Project.***

## **7.8 POWER OF ATTORNEY**

To [name of the Procuring entity] .....

*Note: This power of attorney should be on the letterhead duly signed and stamped nominating a representative to transact and sign document on behalf of your company.*

***Tender for Supply, Installation & Commissioning of Pumps at Baringo Silali<sup>5</sup> Geothermal Project.***