



**GEOHERMAL DEVELOPMENT
COMPANY LIMITED**

**TENDER FOR SUPPLY AND DELIVERY
OF ELECTRICAL, MECHANICAL,
VEHICLE SERVICE TOOLS, JACK AND
LIFTING TOOLS AND DIAGNOSTIC FOR
MOBILE PLANT WORKSHOP AT
MENENGAI**

TENDER NO: GDC/DEM/OT/048/2020-21

**CLOSING DATE AND TIME: 23rd February, 2021
AT 2.00PM**

**Geothermal Development Company
Ltd
P.O. Box 100746-00101
NAIROBI**

TABLE OF CONTENTS

	PAGE
SECTION I	INVITATION TO TENDER..... 3
SECTION II	INSTRUCTIONS TO TENDERERS..... 5
	Appendix to Instructions to Tenderers 17
SECTION III	GENERAL CONDITIONS OF CONTRACT..... 21
SECTION IV	SPECIAL CONDITIONS OF CONTRACT..... 27
SECTION V	TECHNICAL SPECIFICATIONS..... 30
SECTION VI	PRICE SCHEDULE..... 34
SECTION VII	STANDARD FORMS..... 38

SECTION I INVITATION TO TENDER

DATE: 9/02/2021

TENDER REF NO: GDC/DEM/OT/048/2020-2021

TENDER NAME: TENDER FOR ELECTRICAL, MECHANICAL AND VEHICLE SERVICE TOOLS FOR MOBILE PLANT WORKSHOP AT MENENGAI

- 1.1 The Geothermal Development Company Limited invites sealed bids from eligible candidates for the **Supply of Electrical, Mechanical and Vehicle Service Tools for Mobile Plant Workshop at Menengai Geothermal Project.**
- 1.2 Interested eligible candidates may obtain further information from and inspect the tender documents from the office of Manager, Supply Chain at Kawi House Office, located at South C Bellevue, Off Mombasa Road, Red Cross Road between 9.00am and 4.00pm during weekdays.
- 1.3 An electronic copy of the tender document may be obtained by interested firms upon payment of a non-refundable fee of **Kshs. 1000** payable to our accounts office in cash or bankers cheque. The document can also be viewed and downloaded from the website www.gdc.co.ke or PPIP Portal www.tenders.go.ke **free of charge or at no cost.** Bidders who download the tender document from the websites **MUST** forward their particulars immediately for records and any for further tender clarifications and addenda. Bidders are advised to be checking the website for any uploaded further information on this tender.
- 1.1 Tenders **MUST** be accompanied by a Tender Security in the amount of **2% of the total tender sum** in the format specified in the tender document.
- 1.4 Completed tender documents are to be enclosed in plain sealed envelopes marked with tender name and tender reference number and be deposited in the Tender Box at GDC Kawi House Office Ground Floor, located at South C Bellevue ,Off Mombasa Road, Red Cross Road, or be addressed to;

**THE MANAGING DIRECTOR,
GEOTHERMAL DEVELOPMENT COMPANY LTD
P.O. BOX 100746 – 00101
NAIROBI, KENYA**

So as to be received on or before **Tuesday 23rd February, 2021 at 2.00pm (1400Hrs).**

- 1.5 Prices quoted should be inclusive of all taxes & delivery costs to **Menengai Stores, Nakuru County**.
- 1.6 Tenders will be opened immediately thereafter in the presence of the Candidates or their representatives who choose to attend at GDC Kawi House Office Ground Floor boardroom.

MANAGER, SUPPLY CHAIN

SECTION II - INSTRUCTIONS TO TENDERERS

Table of Clauses

	Page
2.1 Eligible tenderers.....	5
2.2 Eligible goods.....	5
2.3 Cost of tendering.....	6
2.4 Contents of Tender document.....	6
2.5 Clarification of documents.....	6
2.6 Amendment of documents.....	7
2.7 Language of tender.....	7
2.8 Documents comprising the tender.....	8
2.9 Tender forms.....	8
2.10 Tender prices.....	8
2.11 Tender currencies.....	9
2.12 Tenderers eligibility and qualifications.....	9
2.13 Goods' eligibility and conformity to tender documents.....	9
2.14 Tender security.....	10
2.15 Validity of tenders.....	11
2.16 Format and signing of tenders.....	12
2.17 Sealing and marking of tenders.....	12
2.18 Deadline for submission of tender	13
2.19 Modification and withdrawal of tenders.....	13
2.20 Opening of tenders.....	14
2.21 Clarification of tenders.....	14
2.22 Preliminary examination.....	15
2.23 Conversion to single currency.....	15
2.24 Evaluation and comparison of tenders.....	16
2.25 Contacting the procuring entity.....	16
2.26 Award of contract.....	16
(a) Post qualification.....	17
(b) Award criteria.....	17
(c) Procuring entity's right to vary quantities....	17
(d) Procuring entity's right to accept or reject any or all tenders	17
2.27 Notification of award.....	18
2.28 Signing of contract.....	18
2.29 Performance security.....	18
2.30 Corrupt or fraudulent practices.....	18

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall not exceed Kshs.1,000/= or free of charge for bidders that download the tender document from GDC website or PPIP portal.
- 2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

2.4. **The Tender Document**

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers

- (i) Invitation to Tender
- (ii) Instructions to tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Technical Specifications
- (vi) Tender Form and Price Schedules
- (vii) Tender Security Form
- (viii) Contract Form
- (ix) Performance Security Form
- (x) Confidential Business Questionnaire
- (xi) Declaration of Undertaking not to engage in fraudulent practice
- (xii) Manufacturer Authorization Letter

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 **Clarification of Documents**

2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.

2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 **Amendment of Documents**

2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.

2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.

2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 **Language of Tender**

- 2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising of Tender**

- 2.8.1 The tender prepared by the tenderers shall comprise the following components
- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
 - (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
 - (d) tender security furnished in accordance with paragraph 2.14

2.9 **Tender Forms**

- 2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 **Tender Prices**

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract
- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.
- 2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22
- 2.10.4 The validity period of the tender shall be 120 days from the date of opening of the tender.

2.11 **Tender Currencies**

- 2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. The tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

- (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

2.14.1 The tenderer shall furnish, as part of its tender, a tender security in the amount of **2% of the total tender sum in the form** specified in the Appendix to Invitation to Tenderers.

2.14.2 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

2.14.3 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.

2.14.4 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.22

2.14.5 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.

2.14.6 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

2.14.7 The tender security may be forfeited:

(a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or

(b) in the case of a successful tenderer, if the tenderer fails:

(i) to sign the contract in accordance with paragraph 2.27 or

(ii) to furnish performance security in accordance with paragraph 2.28.

2.15 Validity of Tenders

2.15.1 Tenders shall remain valid for **120 days** or as specified in the Invitation to tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.

2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given in the Invitation to Tender:

**The Managing Director
Geothermal Development Co. Ltd
P. O Box 100746-00101.
NAIROBI, KENYA**

(b) bear, tender number and name in the Invitation for Tenders and the words, "**DO NOT OPEN BEFORE,**" **2:00pm, 23rd February, 2021.**

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 Deadline for Submission of Tenders

- 2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **Tuesday 23rd February, 2021 at 2:00pm.**
- 2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7
- 2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, **on 23rd February, 2021 at 2:00 p.m. and** in the location specified in the Invitation to Tender.
The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) Post-qualification

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event

the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14.

2.29 Signing of Contract

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

- 2.30.1 Within Thirty (30)days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.
- 2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

- 2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
- (i) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;
- 2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	The tender is eligible to all suppliers of Tools for Workshop at Menengai Geothermal Project.
2.3.2	A complete set of the tender document may be obtained from the website www.gdc.co.ke or PPIP Portal www.tenders.go.ke free <u>of charge or at no cost.</u> Bidders who download the tender document from the website <u>MUST</u> forward their particulars immediately for records and any further tender clarifications and addenda to the email addresses provided at the appendix to instruction to bidders.
2.5.1	<p>A prospective tenderer requiring any clarification of the tender document may notify GDC in writing (email in PDF format or by facsimile) at the following address:</p> <p>One copy to: -</p> <p>Manager, Supply Chain Geothermal Development Company Limited, Kawi House Office P.O. Box 100746 – 00101 NAIROBI, KENYA E-mail: procurement@gdc.co.ke Copy to: dkyaka@gdc.co.ke & pkapto@gdc.co.ke</p> <p>And one copy to: -</p> <p>General Manager, Drilling & Infrastructure Geothermal Development Company Limited, P.O. Box 100746 – 00101 NAIROBI, KENYA E-mail: gkinyanjui@gdc.co.ke</p> <p>NB: Any request for clarification must be in the firm’s letterhead, signed and must be in reference to the specific parts of the tender document properly numbered</p>
2.5.2	GDC will respond in writing (e-mail in PDF format) to any request for clarification received at least seven (7) days prior to the deadline for the submission of tenders.
2.11.1	Prices quoted shall be in Kenya Shillings, the prices should also include all taxes and delivery (transport cost) to GDC Menengai Stores, Nakuru County

2.14.1	The tenderer shall furnish a tender security in the amount of Ksh 100,000 in the form of insurance/bank guarantee valid for a period of 150 days from the date of tender opening.
2.15	The tender validity period is 120 days from the date of tender opening. A tender valid for a shorter period shall be considered non-responsive and shall be rejected.
2.16	The tenderers shall prepare an original and two (2) copies of the tender.
2.16.1	All pages (Original and Copy) of the tender documents <u>MUST be serialized & initialized</u> by the tenderer including the attachments to the bid document.
2.20.1	The tender Closing date is on; 23rd February, 2021 at 2.00Pm.
2.22.1	At the preliminary evaluation stage , the below mandatory requirements that determines a bidder's responsiveness will be assessed (Table one (1)).
2.24.1	In the technical evaluation stage , only bidders who have been found responsive at the preliminary stage will be evaluated on the below parameters in Table two (2); Financial Evaluation stage Bids responsive at the technical evaluation stage will be evaluated at the financial stage in table 3 provided below.
2.27.4	<u>Award Criteria</u> Award will be based on the lowest evaluated price per complete schedule inclusive of all taxes and delivery to Menengai Stores, Nakuru County .
2.28.1	The unsuccessful tenderers will be notified on the outcome of the tender at the same time the successful tenderer is notified
2.29.1	The performance security shall be 10% of the total contract price in the form of a Bank guarantee issued by a Bank operating in Kenya. The performance shall be valid for thirty (30) days after completion of deliveries

TENDER EVALUATION CRITERIA

Stages of evaluation:

- A) **Mandatory requirements** will determine the satisfactory responsiveness of a tenderer, failure to meet any of these set requirements as noted hereunder will render a tender non-responsive and will automatically be disqualified/not proceed for Technical Evaluation.
- B) **Technical Evaluation:** The technical requirement will determine the bidder's capability/experience to meet GDC requirements to supply as stated.
- C) **Financial Evaluation Stage:** The lowest evaluated tender **per complete schedule** will be recommended for award. Each schedule shall be evaluated and awarded separately.

Submit copies of the following **MANDATORY** documents (Yes/No);

TABLE ONE (1) - MANDATORY REQUIREMENT

No.	Requirement
1.	An original bid security of 2% of total tender sum in the form of bank or an insurance guarantee issued by a bank or Insurance company operating in Kenya. The tender security must be valid for 150 days from date of tender opening
2.	Dully filled, Signed & Stamped Price Schedules
3.	Dully filled, Signed & Stamped Tender Form
4.	Certified copy of Certificate of Incorporation/ Registration in Kenya by an advocate.
5.	Certified copy of Tax compliance certificate by an advocate valid at the time of opening. The validity of the Tax certificate shall be confirmed from KRA Tax Checker
6.	Certified copy of Certificate of Confirmation of Directors and Shareholding (CR12) for limited companies by an advocate or ID card for Sole Proprietorships
7.	Certified copy of Valid Business Permit by an advocate
8.	Provide a Power of Attorney witnessed by an advocate
9.	Provide Audited Account for the last three (3) years i.e. 2017/2018/2019 signed and stamped by the Auditor and Certified by an advocate .
10.	Dully filled, signed and stamped Confidential Business Questionnaire (attached)
11.	Dully Filled, Signed and Stamped Declaration of Undertaking not to engage in corrupt fraudulent practice (attached).

NB:

Bidders responsive at the preliminary stage will proceed to the technical evaluation stage

TABLE TWO (2) - TECHNICAL REQUIREMENTS

No.	Requirement
1.	Duly signed and stamped Manufacturer’s authorization letter in the format provided associated with the schedule quoted for .
2.	Bidders MUST provide Brochure/Catalogs/Data Sheets/Descriptive Literature clearly showing compliance to GDC requirements/specification as stipulated in Section V for the specific schedule/s quoted for .
3.	Tenderers to submit written undertaking that should the candidate be awarded the tender for the items quoted, they shall without exception, throughout the contract duration supply the tools for the mobile plant workshop as specified in this tender
4.	Tenderers to fill the bidder’s response column in Schedule of requirement in Section V to depict compliance or non-compliance to specifications.
5.	Delivery period offered in the tender. The period should not exceed three (3) Months after contract award/LPO issue. Tenderers must indicate their delivery period in the price schedule. Delivery MUST be for a complete schedule and partial delivery shall not be accepted.

TABLE THREE (3) - FINANCIAL REQUIREMENTS

No.	Requirement
1.	Completeness of Schedule - Tenderers must quote for the schedule with completeness in order to qualify as responsive.
2.	Acceptance/Deviation of GDC payment schedule as specified in the special conditions, Section IV. Provide a declaration in conformity to GDC payment terms.
3.	No correction of arithmetic errors - The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

AWARD CRITERIA

The lowest evaluated tender per complete schedule inclusive of all applicable taxes & delivery cost to Menengai Geothermal Project in Nakuru County shall be recommended for award. Tenderers can quote for any schedule of choice. Incomplete schedule shall led to disqualification.

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

	Page
3.1 Definitions.....	24
3.2 Application.....	24
3.3 Country of Origin.....	24
3.4 Standards.....	25
3.5 Use of Contract documents and information.....	25
3.6 Patent Rights.....	25
3.7 Performance security.....	25
3.8 Inspection and Tests.....	26
3.9 Packing.....	27
3.10 Delivery and documents.....	27
3.11 Insurance	27
3.12 Payment.....	27
3.13 Price.....	27
3.14 Assignments.....	28
3.15 Sub contracts.....	28
3.16 Termination for default.....	28
3.17 Liquidated damages.....	29
3.18 Resolution of Disputes.....	29
3.19 Language and law.....	29
3.20 Force Majeure.....	29

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 Definitions

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

3.3 Country of Origin

- 3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

3.5.1 The tenderer shall not, without the Procuring entity’s prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.

3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.

3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 **Inspection and Tests**

3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.

3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 **Packing**

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 **Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 **Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 **Payment**

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.
- 3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

- 3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

- 3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

- 3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
 - (b) if the tenderer fails to perform any other obligation(s) under the Contract
 - (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- 3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.17 Liquidated Damages

- 3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

- 3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

- 3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

- 3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

- 4.1 Special conditions of contract shall supplement the general conditions of contract, wherever there is a conflict between the GCC and the SCC, the provisions of the SCC herein shall prevail over those in the GCC.
- 4.2 Special conditions of contract with reference to the general conditions of contract.

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.1 <i>definitions</i>	The Purchaser is The Geothermal Development Company Limited of Kawi House, South C Off Mombasa Road, Nairobi, Kenya. It includes the Purchaser's legal representative's successors or assigns
3.4.1 <i>Standards</i>	The goods supplied under this tender shall be new and unused.
3.7.1 <i>Performance Security</i>	The Performance Security shall be in the amount of 10% of the Contract Price in the form of a bank guarantee issued by a bank operating in Kenya, which shall be valid for thirty days after the contract period. The performance security shall be cashed if the supplier shall not deliver the goods as per the agreed timelines and if it does not conform to agreed standard.
3.10 <i>Delivery</i>	The delivery period for items shall be three (3) months or less after contract signing/LPO issue. It is GDC's desire to have the items delivered within the shortest time possible. Any tenderer with a delivery period exceeding 3 months will be disqualified. Partial delivery shall not be accepted. NB: Delivery shall be to GDC Store Menengai, Nakuru County.
3.12.1 <i>Payment Terms & Conditions</i>	<ul style="list-style-type: none"> i. The Purchaser shall upon execution of this Agreement issue a Contract and LPO for the supply Standalone solar street light. ii. The credit period shall be within sixty (60) days upon receipt of certified invoices and delivery notes confirming that the invoiced goods have been delivered and the goods were as in accordance with the contract. iii. Payment shall be made through Geothermal Development Company's cheque or telegraphic transfer of the contract. iv. Advance Payment shall not apply. v. No interest on delayed payments.
3.13 <i>Prices</i>	Prices charged by the tenderer for the items delivered under the Contract shall not vary from the prices quoted by the tenderer in the tender. <u>No correction of errors.</u> The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
3.16 <i>Termination</i>	Termination for Default Procuring Entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Service Provider, terminate this Contract in whole or in part:

- a) If the Service Provider fails to deliver the Goods and Services within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Entity If the Goods and Services delivered by the Service Provider do not conform to the Standards specified in the Contract;
- b) If the Service Provider fails to perform any other obligation(s) under the Contract;
- c) If the Service Provider, in the judgment of the Procuring Entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract;
- d) If the Service Provider becomes insolvent or bankrupt; Procuring Entity may at any time terminate this Agreement by giving written notice to the Service Provider if the Service Provider becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Service Provider, provided that such termination will not produce or affect any right of action or remedy which has accrued or will accrue thereafter to Procuring Entity;

In the event that the Procuring Entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner, as it deems appropriate, Goods and Services similar to those undelivered, and the Service Provider shall be liable to the Procuring Entity for any excess costs incurred.

3.2 Termination by Notice

Either party, at its sole discretion, may at any time by written notice terminate the Contract by giving no less than Thirty (30) days’ notice in writing.

3.3 Termination for Convenience

The Procuring Entity by written notice sent to the Tenderer may terminate the contract in whole or in part, at any time for its convenience. The notice of termination shall specify that the termination is for the Procuring Entity’s convenience, the extent to which performance of the Tenderer of the contract is terminated and the date on which such termination becomes effective.

For the remaining part of the contract after termination the Procuring Entity may elect to cancel the supply and pay to the Tenderer the amount for partially delivered goods.

3.4 Termination by Mutual Consent

By mutual written agreement, the Purchaser and the Tenderer may agree to terminate the contract. The agreement shall provide that the termination is by mutual agreement, the extent to which the contract is terminated and the effects of such termination on each party’s obligations.

	<p>3.5 Termination by Insolvency If the Tenderer becomes insolvent or bankrupt; the Purchaser may at any time terminate this Agreement by giving written notice to the Tenderer becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Service provider, provided that such termination will not produce or affect any right of action or remedy which has accrued or will accrue thereafter to the Purchaser.</p>
<p><i>Notices:</i></p>	<p>Each party's address for the service of notice shall be the below mentioned address or such other address as it specifies by notice to the other; For the Procuring Entity:</p> <p style="padding-left: 40px;">The Managing Director & CEO, Geothermal Development Company Ltd (GDC) Kawi House, South C Bellevue Off Mombasa Road, Tel: 0719037000, 0719036000 P.O. Box 100746 – 00101 NAIROBI, KENYA</p> <p>Any notice given under the Agreement shall be in writing and may be served:</p> <ul style="list-style-type: none"> i. personally; ii. by registered or recorded delivery mail; iii. by e-mail, telex or facsimile transmission (the latter confirmed by telex or post); or iv. by any other means which any party specifies by notice to the others. <p>Notice shall be deemed to have been served:</p> <ul style="list-style-type: none"> i. if it was served in person, at the time of service; ii. if it was served by post, 72 hours after it was posted; and iii. If it was served by e-mail, telex or facsimile transmission, at the time of transmission.

SECTION V: TECHNICAL SPECIFICATIONS & SCHEDULE OF REQUIREMENT

SCHEDULE 1: AUTO MECHANICAL AND ELECTRICAL TOOLS

No.	Item Description	UoM	Qty	Bidder's Response Column (Y/N)
1.	1/4" drive Stanley tool box (4 pcs) <ul style="list-style-type: none"> • 8mm – 34mm box socket • 8mm – 21mm combine spanner • ½ " drive ratchet • ¼ " drive ratchet • ¼ " 4mm – 13mm box socket • ½ " universal socket • Assorted ¼ " chucks • Screw driver, ¼ " chuckle drive • 6" ¼ " extension • ¼ " universal joint • 3" length ½ " drive extension • ½ " drive extension 12" length • ½ " drive extension 3" length 	PC	4	
2.	3/8 " drive Stanley tool box (4 pcs) <ul style="list-style-type: none"> • 7mm -22mm box socket, 3/8 " drive • 3/8" drive ratchet • 3/8 " universal joint • 3/8" drive 6" extension • 3/8" drive 12" extension • 3/8" – ½ " drive adapter 	PC	4	
3.	¾ " drive Stanley tool box (4 boxes) <ul style="list-style-type: none"> • 19 – 60mm hexagonal box socket • ¾" extension 6" • ¾" power handle (T-handle) 	Boxe	4	
4.	Double Ended Ring Spanners (4 sets) Deep offset DIN838, ISO 10104/ Chrome plated, chrome vanadium steel, heat treated and hardened, fully polished & satin finish rings, both sides stamped with sizes. <ul style="list-style-type: none"> • 6/7mm – 30/32 mm • 36/41mm • 6mm -32mm – 36mm 	Set	4	
5.	Double Open Ended Spanners (4 sets) Deep offset DIN838, ISO 10104/ Chrome plated, chrome vanadium steel, heat treated and hardened, fully polished & satin finish, both sides stamped with sizes.	Set	4	

6.	E-TURXS tool box (4 boxes) <ul style="list-style-type: none"> • T15 – T60 3/8” drive sockets • E4 – E20 3/8” drive sockets • E4 – E18 combination spanners 	Boxe	4	
7.	Set of Allen keys (4 sets) Spherical Head Hex Keys (Allen Keys), SNCM+V Steel <ul style="list-style-type: none"> • 3, 4, 5, 6, 8, 10 and 12mm • 14, 17 and 19mm • 24, 25, 27, 30, 32, 36, 42 and 46mm 	Set	4	
8.	Assorted star screw drivers (4 sets) Nonslip grip handle, blade through handle, chrome vanadium DIN 5265 <ul style="list-style-type: none"> • Screw driver for slotted screws 4.0mm x 100mm • Screw driver for slotted screws 5.5mm x125mm • Screw driver for slotted screws 8.0mm x175mm • screw driver Philips head PH 0 x 60mm • screw driver Philips head PH 1 x 80mm • screw driver Philips head PH 2 x 100mm • Screw driver Philips head PH 3 x 150mm 	Set	4	
9.	Assorted flat screw drivers (4 sets) Nonslip grip handle, blade through handle, chrome vanadium DIN 5265 <ul style="list-style-type: none"> • Screw driver for slotted screws 4.0mm x 100mm • Screw driver for slotted screws 5.5mm x125mm • Screw driver for slotted screws 8.0mm x175mm • screw driver Philips head PH 0 x 60mm • screw driver Philips head PH 1 x 80mm • screw driver Philips head PH 2 x 100mm • Screw driver Philips head PH 3 x 150mm 	Set	4	
10.	Hand grease gun (Lever action), 4 pcs Precision fitted and hardened plunger, Extra-long handle, Rugged cast pump head, High	PC	4	

	volume operation, Nonslip grip handle, 12000PSU pressure, 400gr volume			
11.	Pneumatic grease gun, 2 pcs <ul style="list-style-type: none"> • High Pressure Bucket Grease Pump • 10 kg volume • Grease Bucket with Wheels 	PC	2	
12.	Manual Grease Pump 20kg - 3 PC <ul style="list-style-type: none"> • Heavy Duty Manual Grease Bucket • 20KG Capacity • 75mm Wheels for easy maneuverability • Heavy Duty Grease Pump with brass valves • 1.5mtr Grease Pipe 	PC	3	
13.	Fluke 88V Deluxe Automotive Multimeter 2pcs Measures: <ul style="list-style-type: none"> • Resistance, continuity and diode test • Millisecond pulse width measurements for fuel injectors • Frequency to 200 kHz and % duty cycle • Measure up to 1000 V ac and dc • Measure current up to 10 A, 20 A for up to 30 seconds • 4 ½ digits for precise measurements • RPM measurements with optional inductive pickup • Temperature measurements with optional temperature probe 	PC	2	
14.	Professional Auto-Ranging Digital Clamp Meter NCVD - 6 Function 3 PC <ul style="list-style-type: none"> • High precision clamp meter. • Conforms to EN 61010-1 CATIII 600V safety requirements for electrical equipment for measurement, control and laboratory use. • Features non-contact AC voltage detection function while controls are laid out to enable use with one hand. • Includes data and max. Hold functions. • Double molded housing with soft grip case and large display for ease of use. • Supplied in zipped pouch with carry strap. • Model No. TM105 	PC	3	

15.	Crimping Tool Insulated/Non-Insulated Terminals – 3mm steel construction with safety insulated handgrips. 2 PC <ul style="list-style-type: none"> • Crimps insulated terminals from 0.5 to 6mm² • Crimps non-insulated terminals from 1.5to 6mm² • Crops threaded terminals • Strips wires from 0.75mm to 6mm² • Wire cutter 	PC	2	
16.	200pc pack assorted solder less terminal set 1 PAC. <ul style="list-style-type: none"> • Insulated connectors suitable for auto-motive use with above crimping pliers 	PAC	1	
17.	Circuit tester with Test Light 6-24V – Suitable for 6-24 V circuits. 2 PC <ul style="list-style-type: none"> • Knurled brass body with test light • Insulated pointed tip to test through wire insulation. • Supplied with 3 meter and insulated crocodile earth clamp. • LED array to indicate polarity and voltage range Mandatory. 	PC	2	
18.	Tool Box 4pc <ul style="list-style-type: none"> • Suitable Hard Shell Case or 4 tray & central tool storage area • Cantilever toolbox with painted metal finish to fit all above tools. 	PC	4	

Note:

- **Preferred Brands - Heyco, Sealey, Procraft, Stanley, Fluke, Makita, Bosch, Dewalt, Toptul**
- Tools to meet ISO DIN ANSI standards
- Spanners to be Chrome Vanadium Steel Material, Finish: Polished
- High torque performance as over 1.6 times as ANSI & DIN standard
- All Tools Individually Tested for insulation Integrity, OSHA Compliant
- Professional quality for maximum durability and corrosion resistance
- Screw drivers to have high performance black hardened magnetic tip

Note: Bidders response column to be filled with either Yes (Y) or No (N) to depict compliance or non – compliance to Specification.

SCHEDULE 2 : VEHICLE SERVICE TOOLS

No.	Item Description	UoM	Qty	Bidder's Response Column (Y/N)
1.	<p>Oil filter Cap wrench set 15 pcs With case and 3/8" Drive tool (1 PC)</p> <ul style="list-style-type: none"> • Size:65mm/14F, 65-67mm/14F, 68mm/14F, 73mm/14F, 74-76mm/15F, 75-77mm/15F, 76mm/14F, 76mm/30F, 80mm/15F, 80-82mm/15F, 90mm/15F, 93mm/36F, 93mm/15F, 100mm/15F. • Flutes / Steps: 14 / 1, 14 / 2, 14 / 1, 14 / 1, 15 / 2, 15 / 2, 14 / 1, 30 / 1, 15 / 1, 15 / 2, 15 / 1, 15 / 1, 36 / 1, 15 / 1 • Material: steel 	PC	1	
2.	<p>15 Liter Oil Drain Pan-4.5 Gallon Capacity, 3 pcs</p> <ul style="list-style-type: none"> • Oil Drain Pan with Spout, • Capacity 15 litres, Ø 37cm, • High-density polyethylene material, chemicals and solvents resistant, • With an anti-splash lip, large handles and an enclosed pouring spout. 	PCS	3	
3.	<p>Suction hand pump and hose pipe , 4 pcs</p> <ul style="list-style-type: none"> • Rotary Drum Pump • Ductile iron casting • Light weight, easy operation • Suitable for pumping gasoline, oil, etc. 	PCS	4	
4.	<p>Compression Test Kit - Diesel 1 PC</p> <ul style="list-style-type: none"> • Up-to-date kit for compression testing on diesel vehicles. • Tests compression through both glow plug and injector holes • Contains 17 of the most common dummy glow plugs, covering 29 glow plug types, 33 manufacturers and over 500 model/engine variants from 1999 to 2015. • To include a set of injector adaptors if an alternative method of testing is required. • Swivel end Coupler to allow quick and easy change out of adapters. • 0-1000 psi/0-70 bar gauge with release valve and 14.5 in. hose. • Hold pressure above 220 PSI • Carbon Steel with a chrome plated gauge for accurate measurements in harsh environments. 	PCS	1	
5.	<p>Composite Air Impact Wrench 1/2" Sq Drive Twin Hammer - 2 PC</p>	PCS	2	

	<ul style="list-style-type: none"> • 1/2" Sq Drive Composite Air Impact Wrench - Twin Hammer • Impact Wrenches • 1/2" Sq Drive • 2-Stage trigger design • Composite casing with soft grip • Handle exhaust with built-in silencer to help reduce noise level and limits circulation of brake dust on wheel applications. • Suitable for heavy-duty use in the professional garage. 			
6.	Air Impact Wrench 1" Sq Drive Twin Hammer - 2 PC <ul style="list-style-type: none"> • 1" Sq. Drive Composite Air Impact Wrench - Twin Hammer • Impact Wrenches • 1" Sq. Drive • Soft grip handle with downward facing exhaust • Fingertip power control and direction via a dial on rear of wrench. • Suitable for professional garage use 	PCS	2	

Note: Bidders response column to be filled with either Yes (Y) or No (N) to depict compliance or non – compliance to Specification.

SCHEDULE 3: JACK AND LIFTING TOOLS ITEM

No.	Item Description	UoM	Qty	Bidder's Response Column (Y/N)
1.	30 ton trolley jack (2 pcs) <ul style="list-style-type: none"> • Hydraulic trolley jacks for lifting stated capacity loads. • Solid and strong structure fitted with wheels • Supplied with a pedal for quick approach of the loads • Equipped with automatic end stroke safety valve and overload valve. 	Pcs	2	
2.	50 ton bottle jack (2 pcs) <ul style="list-style-type: none"> • Hydraulic bottle jack for residential and commercial use • A lifting range of 9-5/16" to 14-1/16" with a 50 ton (100,000 lb.) capacity; • Alloyed steel construction for quality and durability; Inner/outer welded structures • Glide-action pressure pump to lift with minimal effort • Integrated built-in oil-bypass and overload valve to protects the hydraulic system from extending beyond limits • Meets ASME PASE safety standards 	Pcs	2	
3.	Axle Stands (Pair) 3 ton Capacity per Stand 8 Pairs <ul style="list-style-type: none"> • Min. /Max. Working Height: 290/435mm. • Capacity: 6 ton per pair. • Heavy-duty axle stands to safely support vehicles for extended periods of time. • Large crutches for good load distribution. • The heavy gauge steel frame and welded construction gives superior strength and safety. • All stands feature captive, multi-position pin load support. • Sold in pairs. 	Pairs	8	
4.	Folding Crane 1tonne 'KD' Type - 2 PC <ul style="list-style-type: none"> • Lifts 1000kg at 825mm jib extension. • Fast folding design. • Heavy-duty castors. • Weighs 75kg. • Side pump access with removable handle. 	PCS	2	
5.	Premier Transmission Jack 1.2tonne Vertical - 2 PC <ul style="list-style-type: none"> • Min. / Max. Saddle Height: 1110/1925mm. • Foot pedal operation for raising and lowering • Nylon wheels 	PCS	2	

	<ul style="list-style-type: none"> • Suitable for workshop use or by the serious motoring enthusiast. 			
6.	Hydraulic Press 30tonne Floor Type - 2 PC <ul style="list-style-type: none"> • Steel frame construction with side mounted hydraulic pump unit. • Sliding hydraulic ram assembly giving 200mm of lateral travel for off-center pressing applications. • Includes flat pressing plate/V-blocks. • Fitted with ram pressure gauge. 	PCS	2	

Note: Bidders response column to be filled with either Yes (Y) or No (N) to depict compliance or non – compliance to Specification.

SCHEDULE 4 : DIAGNOSTIC TOOL

No.	Item Description	UoM	Qty	Bidder's Response Column (Y/N)
1.	Generic scan tool 1pc LAUNCH X431 V+ Bi-Directional OBD2 Scanner Full Systems Diagnostic Scan Tool	PC	1	

Note: Bidders response column to be filled with either Yes (Y) or No (N) to depict compliance or non – compliance to Specification.

SECTION VI: PRICE SCHEDULE

SCHEDULE 1: AUTO MECHANICAL AND ELECTRICAL TOOLS

No.	Item Description	UoM	Qty	Unit Price	Total Price
1.	1/4" drive Stanley tool box (4 pcs) <ul style="list-style-type: none"> • 8mm – 34mm box socket • 8mm – 21mm combine spanner • ½ " drive ratchet • ¼ " drive ratchet • ¼ " 4mm – 13mm box socket • ½ " universal socket • Assorted ¼ " chucks • Screw driver, ¼ " chuckle drive • 6" ¼ " extension • ¼ " universal joint • 3" length ½ " drive extension • ½ " drive extension 12" length • ½ " drive extension 3" length 	4	PCS		
2.	3/8 " drive Stanley tool box (4 pcs) <ul style="list-style-type: none"> • 7mm -22mm box socket, 3/8 " drive • 3/8" drive ratchet • 3/8 " universal joint • 3/8" drive 6" extension • 3/8" drive 12" extension • 3/8" – ½ " drive adapter 	4	PCS		
3.	¾ " drive Stanley tool box (4 boxes) <ul style="list-style-type: none"> • 19 – 60mm hexagonal box socket • ¾" extension 6" • ¾" power handle (T-handle) 	4	Boxes		
4.	Double Ended Ring Spanners (4 sets) Deep offset DIN838, ISO 10104/ Chrome plated, chrome vanadium steel, heat treated and hardened, fully polished & satin finish rings, both sides stamped with sizes. <ul style="list-style-type: none"> • 6/7mm – 30/32 mm • 36/41mm • 6mm -32mm – 36mm 	4	Sets		
5.	Double Open Ended Spanners (4 sets) Deep offset DIN838, ISO 10104/ Chrome plated, chrome vanadium steel, heat treated and hardened, fully polished & satin finish, both sides stamped with sizes.	4	Sets		
6.	E-TURXS tool box (4 boxes) <ul style="list-style-type: none"> • T15 – T60 3/8" drive sockets • E4 – E20 3/8" drive sockets • E4 – E18 combination spanners 	4	Boxes		
7.	Set of Allen keys (4 sets)	4	Sets		

	Spherical Head Hex Keys (Allen Keys), SNCM+V Steel <ul style="list-style-type: none"> • 3, 4, 5, 6, 8, 10 and 12mm • 14, 17 and 19mm • 24, 25, 27, 30, 32, 36, 42 and 46mm 				
8.	Assorted star screw drivers (4 sets) Nonslip grip handle, blade through handle, chrome vanadium DIN 5265 <ul style="list-style-type: none"> • Screw driver for slotted screws 4.0mm x 100mm • Screw driver for slotted screws 5.5mm x125mm • Screw driver for slotted screws 8.0mm x175mm • screw driver Philips head PH 0 x 60mm • screw driver Philips head PH 1 x 80mm • screw driver Philips head PH 2 x 100mm • Screw driver Philips head PH 3 x 150mm 	4	Sets		
9.	Assorted flat screw drivers (4 sets) Nonslip grip handle, blade through handle, chrome vanadium DIN 5265 <ul style="list-style-type: none"> • Screw driver for slotted screws 4.0mm x 100mm • Screw driver for slotted screws 5.5mm x125mm • Screw driver for slotted screws 8.0mm x175mm • screw driver Philips head PH 0 x 60mm • screw driver Philips head PH 1 x 80mm • screw driver Philips head PH 2 x 100mm • Screw driver Philips head PH 3 x 150mm 	4	Sets		
10.	Hand grease gun (Lever action), 4 pcs Precision fitted and hardened plunger, Extra-long handle, Rugged cast pump head, High volume operation, Nonslip grip handle, 12000PSU pressure, 400gr volume	4	PCS		
11.	Pneumatic grease gun, 2 pcs <ul style="list-style-type: none"> • High Pressure Bucket Grease Pump • 10 kg volume • Grease Bucket with Wheels 	2	PCS		
12.	Manual Grease Pump 20kg - 3 PC <ul style="list-style-type: none"> • Heavy Duty Manual Grease Bucket • 20KG Capacity • 75mm Wheels for easy maneuverability • Heavy Duty Grease Pump with brass valves • 1.5mtr Grease Pipe 	3	PCS		
13.	Fluke 88V Deluxe Automotive Multimeter 2pcs Measures: <ul style="list-style-type: none"> • Resistance, continuity and diode test • Millisecond pulse width measurements for fuel injectors • Frequency to 200 kHz and % duty cycle 	2	PCS		

	<ul style="list-style-type: none"> • Measure up to 1000 V ac and dc • Measure current up to 10 A, 20 A for up to 30 seconds • 4 ½ digits for precise measurements • RPM measurements with optional inductive pickup • Temperature measurements with optional temperature probe 				
14.	Professional Auto-Ranging Digital Clamp Meter NCVD - 6 Function 3 PC <ul style="list-style-type: none"> • High precision clamp meter. • Conforms to EN 61010-1 CATIII 600V safety requirements for electrical equipment for measurement, control and laboratory use. • Features non-contact AC voltage detection function while controls are laid out to enable use with one hand. • Includes data and max. Hold functions. • Double molded housing with soft grip case and large display for ease of use. • Supplied in zipped pouch with carry strap. • Model No. TM105 	3	PC		
15.	Crimping Tool Insulated/Non-Insulated Terminals – 3mm steel construction with safety insulated handgrips. 2 PC <ul style="list-style-type: none"> • Crimps insulated terminals from 0.5 to 6mm² • Crimps non-insulated terminals from 1.5to 6mm² • Crops threaded terminals • Strips wires from 0.75mm to 6mm² • Wire cutter 	2	PC		
16.	200pc pack assorted solder less terminal set 1 PAC. <ul style="list-style-type: none"> • Insulated connectors suitable for automotive use with above crimping pliers 	1	PAC		
17.	Circuit tester with Test Light 6-24V – Suitable for 6-24 V circuits. 2 PC <ul style="list-style-type: none"> • Knurled brass body with test light • Insulated pointed tip to test through wire insulation. • Supplied with 3 meter and insulated crocodile earth clamp. • LED array to indicate polarity and voltage range Mandatory. 	2	PC		
18.	Tool Box 4pc <ul style="list-style-type: none"> • Suitable Hard Shell Case or 4 tray & central tool storage area • Cantilever toolbox with painted metal finish to fit all above tools. 	4	PC		

	TOTAL COST	
	16% VAT	
	Grand Total Cost (Kshs) Inclusive of 16% Vat and Delivery to Menengai Stores, Nakuru County. (Transferred To Tender Form)	
	Delivery Period (Specify)	

Tenderer's name (Company) _____

Signature & Rubber-stamp _____

Date _____

No correction of arithmetic errors.

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

SCHEDULE 2 : VEHICLE SERVICE TOOLS

No.	Item Description	UoM	Qty	Unit Price	Total Price
1.	Oil filter Cap wrench set 15 pcs With case and 3/8" Drive tool (1 PC) <ul style="list-style-type: none"> • Size:65mm/14F, 65-67mm/14F, 68mm/14F, 73mm/14F, 74-76mm/15F, 75-77mm/15F, 76mm/14F, 76mm/30F, 80mm/15F, 80-82mm/15F, 90mm/15F, 93mm/36F, 93mm/15F, 100mm/15F. • Flutes / Steps: 14 / 1, 14 / 2, 14 / 1, 14 / 1, 15 / 2, 15 / 2, 14 / 1, 30 / 1, 15 / 1, 15 / 2, 15 / 1, 15 / 1, 36 / 1, 15 / 1 • Material: steel 	PC	1		
2.	15 Liter Oil Drain Pan-4.5 Gallon Capacity, 3 pcs <ul style="list-style-type: none"> • Oil Drain Pan with Spout, • Capacity 15 litres, Ø 37cm, • High-density polyethylene material, chemicals and solvents resistant, • With an anti-splash lip, large handles and an enclosed pouring spout. 	PCS	3		
3.	Suction hand pump and hose pipe , 4 pcs <ul style="list-style-type: none"> • Rotary Drum Pump • Ductile iron casting • Light weight, easy operation • Suitable for pumping gasoline, oil, etc. 	PCS	4		
4.	Compression Test Kit - Diesel 1 PC <ul style="list-style-type: none"> • Up-to-date kit for compression testing on diesel vehicles. • Tests compression through both glow plug and injector holes • Contains 17 of the most common dummy glow plugs, covering 29 glow plug types, 33 manufacturers and over 500 model/engine variants from 1999 to 2015. • To include a set of injector adaptors if an alternative method of testing is required. • Swivel end Coupler to allow quick and easy change out of adapters. • 0-1000 psi/0-70 bar gauge with release valve and 14.5 in. hose. • Hold pressure above 220 PSI • Carbon Steel with a chrome plated gauge for accurate measurements in harsh environments. 	PCS	1		
5.	Composite Air Impact Wrench 1/2" Sq Drive Twin Hammer - 2 PC	PCS	2		

	<ul style="list-style-type: none"> • 1/2" Sq Drive Composite Air Impact Wrench - Twin Hammer • Impact Wrenches • 1/2" Sq Drive • 2-Stage trigger design • Composite casing with soft grip • Handle exhaust with built-in silencer to help reduce noise level and limits circulation of brake dust on wheel applications. • Suitable for heavy-duty use in the professional garage. 				
6.	Air Impact Wrench 1" Sq Drive Twin Hammer - 2 PC <ul style="list-style-type: none"> • 1" Sq. Drive Composite Air Impact Wrench - Twin Hammer • Impact Wrenches • 1" Sq. Drive • Soft grip handle with downward facing exhaust • Fingertip power control and direction via a dial on rear of wrench. • Suitable for professional garage use 	PCS	2		
	TOTAL COST				
	16% VAT				
	Grand Total Cost (Kshs) Inclusive of 16% Vat and Delivery to Menengai Stores, Nakuru County. (Transferred To Tender Form)				
	Delivery Period (Specify)				

Tenderer's name (Company) _____

Signature & Rubber-stamp _____

Date _____

No correction of arithmetic errors.

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

SCHEDULE 3: JACK AND LIFTING TOOLS ITEM

No.	Item Description	UoM	Qty	Unit Price	Total Price
1.	<p>30 ton trolley jack (2 pcs)</p> <ul style="list-style-type: none"> • Hydraulic trolley jacks for lifting stated capacity loads. • Solid and strong structure fitted with wheels • Supplied with a pedal for quick approach of the loads • Equipped with automatic end stroke safety valve and overload valve. 	Pcs	2		
2.	<p>50 ton bottle jack (2 pcs)</p> <ul style="list-style-type: none"> • Hydraulic bottle jack for residential and commercial use • A lifting range of 9-5/16" to 14-1/16" with a 50 ton (100,000 lb.) capacity; • Alloyed steel construction for quality and durability; Inner/outer welded structures • Glide-action pressure pump to lift with minimal effort • Integrated built-in oil-bypass and overload valve to protects the hydraulic system from extending beyond limits • Meets ASME PASE safety standards 	Pcs	2		
3.	<p>Axle Stands (Pair) 3 ton Capacity per Stand 8 Pairs</p> <ul style="list-style-type: none"> • Min. /Max. Working Height: 290/435mm. • Capacity: 6 ton per pair. • Heavy-duty axle stands to safely support vehicles for extended periods of time. • Large crutches for good load distribution. • The heavy gauge steel frame and welded construction gives superior strength and safety. • All stands feature captive, multi-position pin load support. • Sold in pairs. 	Pairs	8		
4.	<p>Folding Crane 1tonne 'KD' Type - 2 PC</p> <ul style="list-style-type: none"> • Lifts 1000kg at 825mm jib extension. • Fast folding design. • Heavy-duty castors. • Weighs 75kg. • Side pump access with removable handle. 	PCS	2		
5.	<p>Premier Transmission Jack 1.2tonne Vertical - 2 PC</p> <ul style="list-style-type: none"> • Min. / Max. Saddle Height: 1110/1925mm. • Foot pedal operation for raising and lowering • Nylon wheels • Suitable for workshop use or by the serious motoring enthusiast. 	PCS	2		

6.	Hydraulic Press 30tonne Floor Type - 2 PC <ul style="list-style-type: none"> • Steel frame construction with side mounted hydraulic pump unit. • Sliding hydraulic ram assembly giving 200mm of lateral travel for off-center pressing applications. • Includes flat pressing plate/V-blocks. • Fitted with ram pressure gauge. 	PCS	2		
TOTAL COST					
16% VAT					
Grand Total Cost (Kshs) Inclusive of 16% Vat and Delivery to Menengai Stores, Nakuru County. (Transferred To Tender Form)					
Delivery Period (Specify)					

Tenderer's name (Company) _____

Signature & Rubber-stamp _____

Date _____

No correction of arithmetic errors.

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

SCHEDULE 4 : DIAGNOSTIC TOOL

No.	Item Description	UoM	Qty	Unit Price	Total Price
1.	Generic scan tool 1pc LAUNCH X431 V+ Bi-Directional OBD2 Scanner Full Systems Diagnostic Scan Tool	PC	1		
	TOTAL COST				
	16% VAT				
	Grand Total Cost (Kshs) Inclusive of 16% Vat and Delivery to Menengai Stores, Nakuru County. (Transferred To Tender Form)				
	Delivery Period (Specify)				

Tenderer's name (Company) _____

Signature & Rubber-stamp _____

Date _____

No correction of arithmetic errors.

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

SECTION VII - STANDARD FORMS

1. FORM OF TENDER
2. TENDER SECURITY FORM
3. CONTRACT FORM
4. PERFORMANCE SECURITY FORM
5. CONFIDENTIAL BUSINESS QUESTIONNAIRE
6. DECLARATION OF UNDERTAKING
7. MANUFACTURER AUTHORIZATION LETTER/FORM

7.1 FORM OF TENDER

Date_____

Tender No._____

To.....

.....

[Name and address of procuring entity]

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda Nos.. *[insert numbers]*, the of which is hereby duly acknowledged, we, the undersigned, offer to provide. *[description of goods]* in conformity with the said tender documents for the sum of. *[total tender amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.
2. We undertake, if our Tender is accepted, to provide the services in accordance with the services schedule specified in the Schedule of Requirements.
3. If our Tender is accepted, we will obtain the tender guarantee in a sum equivalent to _____ percent of the Contract Price for the due performance of the Contract, in the form prescribed by (Procuring entity).
4. We agree to abide by this Tender for a period of *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5. Until a formal Contract is prepared and executed, this Tender, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

Dated this _____ day of _____ 20
[signature] *[In the capacity of]*
 Duly authorized to sign tender for and on behalf of _____

7.2 TENDER SECURITY FORM

Whereas [name of the tenderer]
(hereinafter called "the tenderer") has submitted its tender dated [date of submission of the tender] for the Supply of(hereinafter called "the Tender")
..... KNOW ALL PEOPLE by these presents that WE
..... of having our registered office at
..... (hereinafter called "the Bank"), are bound unto [Geothermal Development Company Ltd] (hereinafter called "the Geothermal Development Company") in the sum of for which payment well and truly to be made to the said Geothermal Development Company, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this _____ day of _____ 20 _____.

THE CONDITIONS of this obligation are:-

- 1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
- 2. If the tenderer, having been notified of the acceptance of its Tender by the Geothermal Development Company during the period of tender validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Geothermal Development Company up to the above amount upon receipt of its first written demand, without the Geothermal Development Company having to substantiate its demand, provided that in its demand the Geothermal Development Company will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[signature of the bank] _____
(Amend accordingly if provided by Insurance Company)

7.3 CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 _____ between
..... [*Geothermal Development Company Ltd*] of [*country of Procurement entity*]
(hereinafter called “*the Procuring Entity*”) of the one part and [*name of tenderer*] of
..... [*city and country of tenderer*] (hereinafter called “*the tenderer*”) of the other part;
WHEREAS the Geothermal Development Company invited tenders for design, fabricate, deliver, erect and
install six units of Prefabricated housing units and has accepted a tender by the tenderer in the sum of
..... [*contract price in words and figures*] (hereinafter called “*the Contract Price*”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
 - a) the Tender Form and the Price Schedule submitted by the tenderer
 - b) the Schedule of Requirements
 - c) the Technical Specifications
 - d) Drawings
 - e) the General Conditions of Contract
 - f) the Special Conditions of contract; and
 - g) Geothermal Development Company’s Notification of Award
3. In consideration of the payments to be made by the Geothermal Development Company to the tenderer as hereinafter mentioned, the tender hereby covenants with the Geothermal Development Company to provide and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Geothermal Development Company hereby covenants to pay the tenderer in consideration of the provisions of design, fabricate, deliver, erect and install six units of Prefabricated housing units and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed for the Employer in the presence of:

COMPANY SECRETARY)

WITNESS)
)

Signed
for the Contractor in the presence of:

DIRECTOR)

)
)
SECRETARY)

7.4 PERFORMANCE SECURITY FORM

To: *Geothermal Development Company,*

WHEREAS [*name of tenderer*] (hereinafter called “the tenderer”) has undertaken , in pursuance of Contract No. _____ [*reference number of the contract*] dated _____ 20 _____ to supply (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of [*amount of the guarantee in words and figure*] and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or sums within the limits of [*amount of guarantee*] as aforesaid, without you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the _____ day of _____ 20 _____

Signed and seal of the Guarantors

[*name of bank or financial institution*]

[*address*]

[*date*]

7.5 CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2(b) or 2(c) whichever applied to your type of business.

You are advised that it is a serious offence to give false information on this form.

Part 1 General Business Name..... Location of Business Premises Plot No,Street/Road..... Postal addressTel No.Fax Email..... Nature of Business Registration Certificate No. Maximum value of business which you can handle at any one time – Kshs..... Name of your bankers.....																								
Part 2 (a) – Sole Proprietor																								
Your name in full.....Age..... Nationality.....Country of Origin..... Citizenship details																								
Part 2 (b) – Partnership																								
Given details of partners as follows <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Name</th> <th style="width: 25%;">Nationality</th> <th style="width: 35%;">Citizenship details</th> <th style="width: 25%;">Shares</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>2.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>3.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>4.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>					Name	Nationality	Citizenship details	Shares	1.	2.	3.	4.
Name	Nationality	Citizenship details	Shares																					
1.																					
2.																					
3.																					
4.																					
Part 2 (c) – Registered Company																								
Private or Public State the nominal and issued capital of company Nominal Kshs. Issued Kshs. Given details of all directors as follows <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Name</th> <th style="width: 25%;">Nationality</th> <th style="width: 35%;">Citizenship details</th> <th style="width: 25%;">Shares</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>2.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>3.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>4.</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>					Name	Nationality	Citizenship details	Shares	1.	2.	3.	4.
Name	Nationality	Citizenship details	Shares																					
1.																					
2.																					
3.																					
4.																					
Date.....Signature of Candidate.....																								

Branch.....

7.6 DECLARATION OF UNDERTAKING

We underscore the importance of a free, fair and competitive procurement process that precludes abusive practices. In this respect we have neither offered nor granted directly or indirectly any inadmissible advantages to any public servant or other person nor accepted such advantages in connection with our bid, nor will we offer or grant or accept any such incentives or conditions in the present procurement process or, in the event that we are awarded the contract, in the subsequent execution of the contract. We also declare that no conflict of interest exists in the meaning of the kind described in the Public Procurement & Disposal Act 2015

We also underscore the importance of adhering to the law in the implementation of the project.

We will inform our staff about their respective obligations and about their obligation to fulfill this declaration of undertaking and to obey the laws of the country.

We also declare that our company/sub-contractors/ all members of the consortium has/have not been debarred to engage in procurement/ included in the list of sanctions.

We acknowledge that, the client is entitled to terminate the contract immediately if the statements made in the Declaration of Undertaking were objectively false or the reason for exclusion occurs after the Declaration of Undertaking has been issued.

Dated this _____ day of _____ 20 _____

(Name of company)

(Signature(s))

7.7 MANUFACTURER’S AUTHORIZATION FORM

To [name of the Procuring entity]

WHEREAS[name of the manufacturer] who are established and reputable manufacturers of [name and/or description of the goods] having factories at [address of factory] do hereby authorize [name and address of Agent] to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. [reference of the Tender] for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.